CONTENTS OF VOLUME 69

NUMBER 1—JANUARY 1990

Synthesis of metal colloids in inverse microemulsions
By P. Barnickel and A. Wokaun 1

Octahedral monomeric molybdenum(III). A magneto-optical study of Mo^{3+} doped in Cs_2NaYCl_6
By R. Stranger, G. Moran, E. Krausz, H. Güdel and N. Furer 11

MW and mm wave spectra, octic-order centrifugal-distortion, ^{14}N nuclear electric quadrupole coupling, and dipole moment of the gauche tetrafluorohydrazine conformer, N_2F_4
By U. E. Frank, W. Herdeg, P. N. Ghosh and W. Hüttner 33

Analytical description of the $I = \frac{3}{2}$ quadrupole nutation experiment
By J. A. M. van der Mijden, R. Janssen and W. S. Veeman 53

Energy and angular momentum disposals in the vibrationally mediated photodissociation of HOOH and HOOD. Intramolecular properties via photofragment mapping
By M. Brouard, M. T. Martinez, J. O'Mahony and J. P. Simons 65

van der Waals interactions between a molecule and a small metallic sphere
By B. Labani, C. Girard and S. Maghezzi 85

The concept of 'syntopy'. A continuous extension of the symmetry concept for quasi-symmetric structures using fuzzy-set theory
By P. G. Mezey and J. Maruani 97

Molecular dynamics simulation of molten Li_2CO_3 and Na_2CO_3
By J. Habasaki 115

A classical dynamical investigation of the mechanism of electronic quenching of $OH(A\,^2\Sigma^+)$ in collisions with $CO(X\,^1\Sigma^+)$
By A. Vegiri and S. C. Farantos 129

Potential energy surfaces for insertion of Zr into H_2
By J. Z. Wang, K. K. Das and K. Balasubramanian 147

Orientational correlations in the liquid halogens
By M. A. Howe 161

Far infrared L.M.R. of $\tilde{X}\,^2\Pi$ NCO
By P. B. Davies and I. H. Davis 175

Study of the Landau bicritical point in dense systems of hard biaxial molecules
By R. Hołyst and A. Poniewierski 193

Monte Carlo simulation of an ion–dipole mixture. A convergence study
By J. M. Caillol, D. Levesque and J. J. Weis 199

NUMBER 2—10 FEBRUARY 1990

The chemical dynamics of Na^- in liquid 12-crown-4 solutions deduced from ^{23}Na nuclear spin relaxation rates
By P. P. Edwards, A. S. Ellaboudy, D. M. Holton and N. C. Pyper 209

Laser-induced fluorescence spectrum and radiative lifetimes of the gaseous PbSe molecule
By T. Ndikumana, M. Carleer and R. Colin 229

Combined shear and elongational flow by non-equilibrium molecular dynamics
By M. W. Evans and D. M. Heyes 241

Internal rotation in 1,4-dimethylnaphthalene studied by high resolution laser spectroscopy
By P. U. de Haag, R. Spooren, M. Ebben, L. Meerts and J. T. Hougen 265

Theoretical investigation of the low-lying electronic states of TiH
By J. Anglada, P. J. Bruna and S. D. Peyerimhoff 281

***Ab initio* vibrational spectrum of the H-bonded trimers $(HCN)_2HF$ and $HCN(HF)_2$**
By W. B. De Almeida and A. Hinchliffe 305

Thermodynamic potentials and distribution functions. I. A general expression for the entropy
By J. A. Hernando 319

Thermodynamic potentials and distribution functions. II. The HNC equation as an optimized superposition approximation
By J. A. Hernando 327

Measurement of quadrupolar coupling with a two-pulse sequence in solid-state N.M.R.
By P. P. Man 337

The quasi-one dimensional hard square gas
By J. K. Percus and M. Q. Zhang 347

The spin–rotation interactions in the methoxy radical
By X. Liu, S. C. Foster, J. M. Williamson, L. Yu and T. A. Miller 357

Potential energies for methane adsorption in ion-exchanged ZSM-5 zeolite pore
By T. Yamazaki, S. Ozawa and Y. Ogino 369

Frequency dependent ^2H N.M.R. relaxation rates of small unilamellar phospholipid vesicles
By M. F. Brown, A. Salmon, U. Henriksson and O. Söderman 379

Lifetime measurements of CaCl, CaBr and SrCl. Radiative lifetimes of the $B\,^2\Sigma^+$ states
By L.-E. Berg, P. Royen and P. Weijnitz 385

Electric field effects on the ^{13}C and ^{19}F nuclear shielding in HF and CH_3F
By M. J. Packer and W. T. Raynes 391

Research Note

Magnetization density in *trans*-tetraamminedinitronickel(II)
By C. D. Delfs and B. N. Figgis 401

NUMBER 3—20 FEBRUARY 1990

Proton Zeeman relaxation and intramolecular reorientation in solid *t*-butylbenzene
By P. A. Beckmann, R. M. Hathorn and F. B. Mallory 411

Dependence of the dipolar couplings of tetrahydrofuran on the pseudorotation parameters
By A. L. Esteban, M. P. Galache, E. Diez, J. San Fabian and F. J. Bermejo 429

Fourier transform spectroscopy of MnH and MnD. Rotational analyses of the 846 nm and 1060 nm systems
By W. J. Balfour, O. Launila and L. Klynning 443

Vapour liquid equilibrium of a pure fluid from test particle method in combination with *NpT* molecular dynamics simulations
By D. Möller and J. Fischer 463

Numerical potential functions for diatomic molecules. The *f*-potentials of CF^+ and CCl^+
By M. Gruebele 475

Perturbation theory of pure quadrupolar hard gaussian overlap fluids
By T. Boublik 497

An overlap model for estimating the anisotropy of repulsion
By R. J. Wheatley and S. L. Price 507

The bulk viscosity of a square-well fluid
By C. G. Joslin, C. G. Gray, J. P. J. Michels and J. Karkheck 535

***Ab initio* configuration–interaction studies of the ground state potential energy and hyperfine coupling constants of $^{35}Cl_2^-$**
By S. P. Karna, F. Grein, B. Engels and S. D. Peyerimhoff 549

Cluster analysis and continuum percolation of 3D square-well phases. MC and PY solutions
By D. M. Heyes 559

Potential energy functions for atomic solids
By J. N. MURRELL and R. E. MOTTRAM 571

Semiclassical statistical mechanics of a ν-dimensional fluid of hard ν-spheres. I. Equilibrium properties of dilute hard ν-sphere gas
By S. K. SINHA 587

Research Note

The importance of accurate numerical integration in perturbation theories of molecular liquids
By T. F. SUN and J. A. SCHOUTEN 601

NUMBER 4—MARCH 1990

An efficient algorithm for the solution of the correlation function for soft spherical repulsions
By T. F. SUN, J. A. SCHOUTEN, C. A. TEN SELDAM and P. J. KORTBEEK 607

Perturbation calculation of thermodynamic properties of liquid benzene using the six centre Lennard-Jones potential
By T. F. SUN, J. A. SCHOUTEN, C. A. TEN SELDAM and S. N. BISWAS 615

Effective isotropic dipole–dipole pair potential
By J. M. MERCER 625

Very highly excited vibrational states of LiCN using a discrete variable representation
By J. R. HENDERSON and J. TENNYSON 639

Non-spherical bridge function theory of molecular fluids. I. The hard-dumbbell fluid
By S. LABÍK, W. R. SMITH, R. POSPÍSIL and A. MALIJEVSKÝ 649

***Ab initio* SCF and CI studies of the electric field gradiant in LiH**
By S. P. KARNA and F. GREIN 661

Two-dimensional N.M.R. studies of flexible molecules in liquid crystals: orientational order and conformational probabilities of *n*-hexane
By M. GOCHIN, A. PINES, M. E. ROSEN, S. P. RUCKER and C. SCHMIDT 671

Heat induced polarization in molecular fluids
By S. MURAD and D. J. EVANS 697

Molecular-dynamics simulation of argon physisorbed on magnesium oxide
By A. ALAVI and I. R. MCDONALD 703

Induced contributions in the Rayleigh band of gaseous H_2O
By A. DE SANTIS and A. GREGORI 715

NRPS study of nitric oxide adsorption on activated carbon fibre
By R. MOREH and D. LEVANT 735

The structure of molten ammonium nitrate by isotopic difference method of neutron diffraction
By A. K. ADYA and G. W. NEILSON 747

Primitive model of water. III. Analytic theoretical results with anomalies for the thermodynamic properties
By I. NEZBEDA and G. A. IGLESIAS-SILVA 767

Structural influence on ferromagnetic ordering in quasi-one-dimensional systems
By M. M. MESTECHKIN and G. E. WHYMAN 775

Research Notes

Calculation of non-adiabatic matrix elements
By J. G. FREY and S. J. HOLDSHIP 783

Absorption coefficient and refractive index measurements of water in the millimetre spectral range
By Z. CZUMAJ 787

Preliminary Communication

Potential energy surface and energy levels of $(HF)_2$ and its D isotopomers
By M. QUACK and M. A. SUHM 791

NUMBER 5—10 APRIL 1990

Interferometric measurements of the dipole polarizability α of molecules between 300 K and 1100 K. I. Monochromatic measurements at $\lambda = 632{\cdot}99$ nm for the noble gases and H_2, N_2, O_2, and CH_4
By U. Hohm and K. Kerl 803

Interferometric measurements of the dipole polarizability α of molecules between 300 K and 1100 K. II. A new method for measuring the dispersion of the polarizability and its application to Ar, H_2, and O_2
By U. Hohm and K. Kerl 819

N.M.R. solid echoes in systems of dipolar-coupled inequivalent spins-1 or dipolar-coupled inequivalent pairs of spins-1/2
By P. K. Kahol and N. Boden 833

Infrared vibration–rotation spectrum and structure of OCS dimer
By R. W. Randall, J. M. Wilkie, B. J. Howard and J. S. Muenter 839

The chemical potential of liquid xenon by computer simulation
By E. Rittger 853

Can three-atom potentials be determined from thermodynamic data?
By E. Rittger 867

Excess electrons in molten salts. Polaron theory of dilute Cs–CsI solutions
By G. Malescio 895

Semiclassical and quantum mechanical pictures of the ro-vibrational motion of triatomic molecules
By J. Makarewicz 903

The microwave spectrum of NiH
By T. C. Steimle, D. F. Nachman, J. E. Shirley, D. A. Fletcher and J. M. Brown 923

On the influence of electron localization radius in a charge-transfer complex on photogeneration efficiency of current carriers in carbazole-containing semiconductors
By N. G. Kuvshinsky, N. A. Davidenko and V. V. Reshetnyak 933

Research Note

Raman emission from the photolysis of NOCl at 266 nm
By A. J. Bell and J. G. Frey 943

NUMBER 6—20 APRIL 1990

Structure of a stage-3 Cs–graphite intercalate
By P. A. Wielopolski, J. W. White and H. J. M. Hanley 947

Dynamics of the intercalated layer in $C_{36}Cs$: dependence on the temperature and substrate potential
By P. A. Wielopolski and J. W. White 959

Optical properties of methanol at high pressures
By K. M. Yenice, S. A. Lee and D. W. Downs 973

Calculation of thermodynamic properties of dense fluid neon using statistical-mechanical perturbation theory. Part I: Method, potentials and results up to 1 GPa
By P. J. Kortbeek and J. A. Schouten 981

Calculation of thermodynamic properties of dense fluid neon using statistical-mechanical perturbation theory. Part II: Results up to 6 GPa and equations of state
By P. J. Kortbeek, C. A. ten Seldam and J. A. Schouten 1001

Computer simulation of cluster decay
By V. M. Bedanov 1011

Polarisation and material dependence of degenerate four-wave mixing transients in molecular fluids
By K. J. McEwan, K. J. Harrison and P. A. Madden 1025

CONTENTS OF VOLUME 69

Electronic structure of lithium halide monomers and dimers: ionization energies and electron affinities
By P. TOMASELLO and W. VON NIESSEN 1043

Size and shape effects on the orientation of solutes in nematic liquid crystals
By D. S. ZIMMERMAN and E. E. BURNELL 1059

Structure of the amorphous phase of sodium hydroxide
By A. MONTONE and F. SACCHETTI 1073

An NMR, DSC and X-ray investigation of the disaccharides sucrose, maltose and lactose
By E. C. REYNHARDT 1083

Index of authors (with the titles of papers) 1099